

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/083,234	02/26/2002	Jeffrey C. Shiery	S*M C-256	6380
7:	590 10/22/2003	EXAMINER		
FLYNN, THIEL, BOUTELL & TANIS, P.C. 2026 Rambling Road Kalamazoo, MI 49008-1699			TRETTEL, MICHAEL	
			ART UNIT	PAPER NUMBER
,			3673	
			DATE MAILED: 10/22/2003	

Please find below and/or attached an Office communication concerning this application or proceeding.

		7			
v.	Application No.	Applicant(s)			
1	10/083,234	SHIERY ET AL.			
Office Action Summary	Examiner	Art Unit			
	Michael Trettel	3673			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REI THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a  - If NO period for reply is specified above, the maximum statutory per  - Failure to reply within the set or extended period for reply will, by state  - Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).  Status	N. R 1.136(a). In no event, however, may a reply reply within the statutory minimum of thirty (3 riod will apply and will expire SIX (6) MONTHS atute, cause the application to become ABANI	be timely filed  0) days will be considered timely.  6 from the mailing date of this communication.  DONED (35 U.S.C. § 133).			
1) Responsive to communication(s) filed on 2	<u> 23 August 2003</u> .				
2a) ☐ This action is <b>FINAL</b> . 2b) ☑	This action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. <b>Disposition of Claims</b>					
4)⊠ Claim(s) <u>1-5 and 8-12</u> is/are pending in the application.					
4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠ Claim(s) <u>4,5 and 8-12</u> is/are allowed.					
6)⊠ Claim(s) <u>1</u> is/are rejected.					
7) Claim(s) 2 and 3 is/are objected to.					
8) Claim(s) are subject to restriction and/or election requirement.					
Application Papers					
9)☐ The specification is objected to by the Examiner.					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.  Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
· ·					
11) The proposed drawing correction filed on is: a) □ approved b) □ disapproved by the Examiner.  If approved, corrected drawings are required in reply to this Office action.					
12) The oath or declaration is objected to by the Examiner.					
Priority under 35 U.S.C. §§ 119 and 120					
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).					
a) ☐ All b) ☐ Some * c) ☐ None of:					
1. Certified copies of the priority documents have been received.					
2. Certified copies of the priority documents have been received in Application No					
Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.					
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) The translation of the foreign language provisional application has been received.					
15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.					
Attachment(s)					
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449) Paper Not</li> </ol>	) 5) Notice of Info	mmary (PTO-413) Paper No(s) ormal Patent Application (PTO-152) .			

Application/Control Number: 10/083,234

Art Unit: 3673

### **DETAILED ACTION**

## **Drawings**

The drawings have been reviewed for a second time by the Official Draftsman, and a new PTO-948 has been prepared. The drawings are still considered to be informal.

#### Election/Restrictions

Claims 6 and 7 are withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim.

Election was made without traverse in Paper No. 4.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Heimbrock (6,421,854). Heimbrock shows a gurney that is of particular interest. The gurney comprises a wheeled base 22 that supports an upper deck 24 upon a head and foot seperated pair of hydraulic cylinders 52, 54. Each cylinder is paired with a respective pair of hydraulic jacks or pumps 62, 64 which are supported upon the base 22 adjacent to the cylinders. A pedal actuated linkage

'Application/Control Number: 10/083,234

Art Unit: 3673

attached to an actuating member 186 including a horizontal portion 188 attached to a tranverse pivot shaft 194 coupled to the base 22. The actuating member includes a horizontal portion 188, an intermediate base portion 190, and a vertical portion 192, with the pedal being attached to the end of the horizontal portion 188. This resulting pedal linkage forms a manaully operable member that reciprocates relative to the base frame, with the shaft 194 acting as a mount for the pedal linkage. A horizontal link 198 is attached to the base frame upon brackets 200 and is attached to the vertical portion 192 and a right angle link 196 of the pedal linkage at one end, such that it is horizontally reciprocated in repsonse to movement of the pedal linkage. Each of the free ends of the link 198 are coupled to the pumps 62, 64 such that the reciprocating movement of the link 198 causes the pumps to be actuated. Each of the link to pump connections are inherently capable of being releasably connected by being disassembled.

# Allowable Subject Matter

Claims 2 and 3 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 4, 5, and 8 to 12 are allowed.

# Conclusion

Art Unit: 3673

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Schmale et al, Williams, Von Eschen, and Dietrich et al show hydraulically actuated vertically movable gurneys that are of general interest.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Trettel whose telephone number is 703-308-0416. The examiner can normally be reached on Monday, Tuesday, Thursday, or Friday from 7.30 am to 5.00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather Shackelford, can be reached on (703) 308-2978. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1020.

Michael Trettel Primary Examiner Art Unit 3673